

Health	1
Flammability	1
Reactivity	1
Personal Prot.	A

Proprietary Rating

# Material Safety Data Sheet

Created by Crosman Corporation MSDS Manager

## Monolec GFS SAE 30 Engine Oil

ID: 807  
Mimicks OSHA OMB No. 1218-0072

### Section V – Reactivity Data

Stability	Unstable <input type="checkbox"/>	Stable <input checked="" type="checkbox"/>	Conditions to Avoid: All contact area with nuclear radioactivity, pure oxygen, and chemical active species.
Incompatibility: (Materials to avoid): Radioactive materials, pure oxygen			
Hazardous Decomposition or Byproducts: Carbon monoxide and asphyxiants.			
Hazardous Polymerization	May Occur <input type="checkbox"/>	Will Not Occur <input checked="" type="checkbox"/>	Conditions to Avoid: All contact area with nuclear radioactivity

### Section VI – Health Hazard Data

Routes of Entry: <input type="checkbox"/> Inhalation? <input type="checkbox"/> Skin? <input type="checkbox"/> Ingestion?			
Health Hazards (Acute and Chronic):	Unknown		
Carcinogenicity:	<input type="checkbox"/> NTP?	<input type="checkbox"/> IARC Monographs?	<input type="checkbox"/> OSHA Regulated?
Signs and Symptoms of Exposure:	NA		
Medical Conditions Aggravated by Exposure:	NA		
Emergency and First Aid Procedures:	If taken internally, do not induce vomiting, call physician. Wash contaminated skin with soap and water. If gets in eyes flush with water, use medicinal eyewash, and see physician.		

### Section VII – Precautions for safe Handling and Use

Steps to be taken in case of spill or release:	Ordinary petroleum procedures.		
Waste Disposal method:	Federal and state regulations for petroleum waste.		
Precautions to be taken for Handling and Storing:	Ordinary petroleum methods. Do not store near open flame.		
Other Precautions:	None		

### Section VIII – Control Measures

Respiratory Protection (Specify Type): None			
Ventilation:	Local Exhaust: _____	Mechanical: _____	No Special: _____ Other: _____
Protective Gloves:	None		Eye Protection: None
Other Protective Clothing or equipment: None			
Work/Hygienic Practices: None			

Health	1
Flammability	1
Reactivity	1
Personal Prot.	A

Proprietary Rating

# Material Safety Data Sheet

Created by Crosman Corporation MSDS Manager

## Monolec GFS SAE 30 Engine Oil

ID: 807

Mimicks OSHA OMB No. 1218-0072

### Section I

Manufacturer Name: Lubrication Engineers, Inc.	Emergency Tel No: (817) 834-6321
Address: 3851 Airport Freeway	Information Tel No:
Fort Worth, TX 76111	Date Prepared:
Signature of Preparer: Transcribed from Manufacturer MSDS	

### Section II -- Hazardous Ingredients/Identity Information

### Section III -- Physical/Chemical Characteristics

Boiling Point:	>600 Deg F	Specific Gravity: (H2O =1)	0.883
Vapor Pressure:(mm/Hg)	<0.1 mm Hg	Melting Point:	NA
Vapor Density:(Air =1)	<1	Evaporation Rate:(Butyl Acetate = 1)	<1
Solubility in Water:	Slight		
Appearance and Odor:	Re fluid, faint petroleum odor		

### Section IV -- Fire and Explosion Hazard Data

Flash Point ( Method Used):	455 Deg F (COC)	Flammable Limits:	NA
Extinguishing Media:	Fog, foam, CO2, chemical		
Special Fire Fighting Procedures:	Wear self protecting breathing gear when fire fighting in enclosed areas.		
Unusual Fire and Explosion Hazards:	Would be explosive with liquid oxygen.		NA